



NHL Preferred Supplier

BENEFITS OF DEHUMIDIFICATION

- Annual cost savings
- High-quality ice surface
- Fresh air without humidity
- Fast recovery from resurfacing
- No fog



Munters is the NHL Preferred Supplier of Desiccant Dehumidification Systems

In order to run a successful ice arena, it is critical to improve efficiency and eliminate down time. Most recreational ice arenas operate year round and ice sports continue to gain popularity placing a greater demand for ice time. Constant and efficient humidity control is important. Uncontrolled humidity results in fog, condensation, mold and poor ice conditions – all of which compromise skater performance and safety and spectator enjoyment. Additionally, humidity causes an increased load on the ice refrigeration system resulting in higher energy costs than necessary.

NHL Preferred Supplier

Munters, the world's largest manufacturer of desiccant dehumidification wheels and systems, has led the way in developing the most efficient and effective way to dehumidify ice arenas. Munters has more than 1,000 ice arena installations in North America.

NHL has named Munters the "Preferred Supplier" of desiccant dehumidification systems. The NHL recommended standard is 60°F and 40% Relative Humidity (RH) which equates to a 35°F dew point temperature. Speed skating venues require even more stringent conditions to create an ice surface worthy of world record times. Such conditions can be difficult if not impossible to achieve with cooling based dehumidification systems. Because sub-freezing dew points are efficiently and continuously achieved with desiccant dehumidification, today most ice arenas rely on Munters.



St Louis Blues practice arena.


THE PROBLEMS

Humidity from the air forms as frozen water vapor on the ice sheet surface. The ice softens and forms a "frosty" surface that may develop puddles. This affects the quality of the ice, which impacts skater performance and causes skaters to get wet when they fall. The ice refrigeration system works overtime to refreeze the ice. High humidity causes fog, which obscures the ice action and leads to safety problems. Excess moisture condenses on the glass, structure and cold surfaces causing drips which damage the ice. Floors, seats and stairs become wet leading to mold and deterioration of the building. High energy costs, indoor air quality, safety, mold, mildew and the competitive nature of the industry requires arena owners to focus attention on providing proper arena environmental conditions.

THE DESICCANT SOLUTION

Munters HoneyCombe® desiccant wheel adsorbs moisture from the air, enabling arenas to achieve the desired humidity level. Munters uses titanium enhanced silica gel desiccant permanently impregnated throughout the Honeycombe structure; therefore the silica gel is never replaced. Munters manufactures the wheel and offers a wide range of diameters and depths to suit the moisture load requirements for arenas of all sizes, geographical locations and spectator capacities. Not all desiccant wheels are the same; Munters develops the most efficient wheel in the industry, using less energy and therefore costs less to operate than our competition. The Munters wheel requires very little attention throughout the life of the system.

Desiccant dehumidification technology allows facilities to conserve



HOW IT WORKS

Desiccant dehumidification technology is very simple. Humid air passes through the rotating desiccant wheel, moisture is removed from the air by the desiccant, and the dry air is then delivered to the arena.

The desiccant wheel is reactivated to provide continuous dehumidification using a separate heated outside air stream which exhausts the unwanted moisture. The most popular source of reactivation heat is a natural gas direct fire burner, but alternative heat sources are available as well. While comparing systems, it is important to review identical moisture removal capacity at a specific design condition and determine the amount of energy required to reactivate the desiccant. Operating cost differences can vary greatly between manufacturers and models. Munters can help you evaluate these differences.

The Munters system is available in several configurations - from a basic dehumidifier to a complete environmental control system including energy recovery, heating and cooling components. Our qualified engineering team and professional representatives can assist in selecting the best size and configuration for your arena.

energy. In order to maintain desired arena space conditions of 60°F and 40% RH, a cooling based system would need to sub-cool the air well below a 35°F dew point to address latent loads caused by air infiltration and people. Obviously, such cold air would need to be re-heated before being delivered into the arena to maintain a reasonable comfort level. Because cooling based systems condense moisture from the air onto the surface of a cold coil, ice will eventually accumulate and require some type of defrosting which interrupts the dehumidification process. This can be an energy consuming method of achieving

the desired conditions.

However, because desiccant dehumidification removes moisture in a vapor phase, sub-freezing dew points are easily achieved without interruption because defrost is never required. Post cooling is optional on the Munters systems for space temperature control. The post cooling coil would only provide sensible (dry) cooling and therefore never freeze or require a defrost cycle. The Munters system provides uninterrupted environmental control of the arena assuring arena operators a superior ice surface and a safe, comfortable facility.

Australia Phone +61 2 8843 1588, dh.info@munters.com.au Austria Phone +43 1 6164298-0, luftentfeuchtung@munters.at Belgium Phone +32 1528 5611, info@muntersbelgium.be Brazil Phone +55 41 3317 5050, munters@munters.com.br Canada Phone +1 905 858 5894, dhinfo@munters.com China Phone +86 10 8041 8000, info@munters.com.cn Czech Republic Phone +420 544 211 434, info@munters-odvlhcovani.cz Denmark Phone +45 4495 3355, info@munters.dk Finland Phone +358 20 776 8230, laitemyynti@munters.fi France Phone +33 1 3411 5757, dh@munters.fr Germany Phone +49 4087 96900, mgd@munters.de India Phone +91 20 668 18 900, info@munters.in Italy Phone +39 0183 52 11, marketing@munters.it Japan Phone +81 3 5970 0021, mkk@munters.com.jp Korea Phone +82 2761 8701, munters@munters.co.kr Mexico Phone +52 722 270 40 49, munters@munters.com.mx Netherlands Phone +31 172 433231, vochtbeheersing@munters.nl Poland Phone +48 58305 3517, dh@munters.pl Singapore Phone +65 6744 6828, info@munters.com.sg South Africa Phone +27 11 997 2000, info@munters.co.za Spain Phone +34 91 640 09 02, marketing@munters.es Sweden Phone +46 8 626 63 00, avfuktning@munters.se Switzerland Phone +41 52 343 8886, info.dh@munters.ch Thailand Phone +66 2642 2670, info@munters.co.th Turkey Phone +90 216 548 1444, info@muntersform.com UAE +971 4887 6462, middle.east@munters.com United Kingdom Phone +44 1480 432243, info@munters.co.uk USA Phone +1 978 241 1100, dhinfo@munters.com Vietnam Phone +84 8 8256 838, vietnam@muntersasia.com



Munters Corporation
Tel: (800) 843-5360 E-mail: dhinfo@munters.com
www.munters.com